

Flour Mills & Masala Machinery





STONELESS

Model M-208 Size 1 HP



STONELESS

Model M-211 Size 1.50 HP



STONELESS

Model M-213 Size 2 HP



SS AATA MAKER

Model 6" & 7" M-502 M-503 M-504 Size Stone 1 HP 1.25 HP 1.50 HP



DP TYPE PULVERISER

Model M-309 Size 4x8



DP TYPE PULVERISER

Model M-309-A M-309-B Size 10 HP 10 HP



BLOWER TYPE MACHINE

 Model
 M-306
 M-307
 M-308
 M-307-A

 Size
 2 HP
 3 HP
 10 HP
 7.5 HP



SUPER PULVERISER

Model M-315 Size 7x14, 10 HP



KANDAP MACHINE

Model M-301 Size 1 HSP Motor



PULVERISER MACHINE

Model M-313 M-314 Size 4x8, 2 HP 5x10, 3 HP



RASVANTI MACHINE

Model M-304 M-304-A Size 1.5 HP 1.5 HP



BOMBAY RASVANTI

Model M-304-B M-304-C Size 2 HP 2 HP



FLOUR MIXER MACHINE

Model M-702 M-702-A Size 5 Kg. 10 Kg.



SS GRINDER

Model M-501 Size 2 HP, Single Phase



2 IN 1

Model M-139 M-140 Size 2 HP 3 HP



2 IN 1 PULVERISER

Model M-136 M-137 M-138 Size 2 HP 3 HP 5 HP



RECIII AR

| NEGOLAN | | | | |
|---------|-------|-------|-------|-------|
| Model | M-201 | M-202 | M-204 | M-206 |
| Size | 8 | 10 | 12 | 14 |



T.P

| Model | M-205 | M-207 |
|-------|-------|-------|
| Size | 12 | 14 |



D.S.P. FLOUR MILL

| _ | | | | |
|-------|-------|--------|-------|----------------|
| Model | M-108 | M-109 | M-112 | M-110 |
| Size | | 16x4.5 | | VOICE CONTRACT |



D.S.P. TROLLEY & MOTOR

| D.S.F. INOLLET & MO | | | 01011 | | |
|---------------------|-------|-------|--------|-------|--------|
| | Model | M-108 | M-109 | M-112 | M-110 |
| | Size | 16x3 | 16x4.5 | 18x3 | 18x4.5 |



NAGPUR D.S.P.

| Model | M-132 | M-133 | M-134 | M-135 |
|-------|-------|--------|-------|--------|
| Size | 16x3 | 16x4.5 | 18x3 | 18x4.5 |



MARSHAL

| Model | M-102 | M-103 | M-103-A |
|-------|-------|-------|---------|
| Size | 16 | 18 | 18 Zmb. |



BRAKET TYPE

| The second secon | | | | |
|--|-------|-------|--|--|
| Model | M-130 | M-131 | | |
| Size | 16x3 | 18x3 | | |



DIAMOND BOX (Braket)

| Model | M-106-B | M-106 | M-106-A | M-107 |
|-------|---------|-------|---------|--------|
| Size | 14x3 | 16x3 | 16x4.5 | 18x4.5 |



MASALA TROLLEY

| Model | M-124-A | M-123- |
|-------|---------|--------|
| Size | 14x3 | 16x3 |



MASALA DSP

| Model | M-123 | M-121 | M-125 | M-122 |
|-------|-------|--------|-------|--------|
| Size | 16x3 | 16x4.5 | 18x3 | 18x4.5 |



DIAMOND MARSHAL

| Model | M-126 | M-127 | M-128 | M-129 |
|-------|-------|--------|-------|--------|
| Size | 16x3 | 16x4.5 | 18x3 | 18x4.5 |



R.S.P.

| Model | M-111 |
|-------|--------|
| Size | 18x4.5 |



DIAMOND VERTICAL

| Model | M-104 | M-104-A | M-105 |
|-------|-------|---------|--------|
| Size | 16x3 | 16x4 5 | 18x4 5 |



SEVAI MACHINE/MOTOR

Model M-302 Size 1.5 HP



SEVAI MACHINE

| | | š |
|-------|-------|-------|
| Model | M-303 | M-305 |
| Size | 2 HP | 3 HP |



SEVAI MACHINE with FM

| Model | M-311 | M-312 |
|-------|--------|-------|
| Size | 1.5 HP | 2 HP |







SALIENT FEATURE

- MARSHAL Flour Mills can be operated on a Single Phase domestic supply of 240 Volts.
 Different types of grains and dry spices can
- be ground in a desired mess.
 The grinding operation is conducted at a slow speed and so it does not warm up.
 A high quality
- balanced emery stone wheels are provided to ensure a long life requiring no redressing from time to time.
 MARSHAL Flour Mills
- are mechanically well balanced which ultimately reduces noise level and electrical energy consumption. A V belt cover is provided to guard the Flour Mills for protection and averting accidental hazards. • For ensuring minimal power consumption the electric
- motors are manufactured from CRNO low wattless electrical stamping.
 A simple adjustment device is provided for ensuring coarser and fine grinding. • Having installed a trolley system its easier to move the flour mills from one place to another. • We Have a
- balancing m/c. in our factory for day to day balancing of rotor for our electric motors which ensure smooth performance of electric motor that we manufacturer. • We Are also testing electric load of the electric motor on the testing panel m/c.

SPECIAL FEATURES

- MARSHAL Flour Mills does not require cumbersome cleaning after its operation because of not leaving out remnant grains or flour.
- An assurance to provide prompt after sales service.

USEFUL TIPS FOR ACTIVATION OF THE FLOUR MILL

- Before switching on the Flour Mill please ensure that the grinding wheels are made free Ensure adjustment of emery wheels for
- getting desired fine mess or coarse grinding. Keep a regulated flow of grains well controlled while setting grinding wheels, so as to
- avoid over loading of electric motor.
 V belt should be properly tightened for avoiding slippage.
 After use of the Flour Mill before
- switching off the motor, reduce tension on the grinding wheels



Manufactured by: Ahmedabad-380 023, (Guj.)













Authorised Dealer: